

FLUTED WALL PANEL

The wooden grid based on nano bamboo and wood fiber replaces the traditional wooden grid, which is more environmental friendly, moisture-proof and does not deform.

The traditional wooden grid will be moldy and deformed after it is used for a long time.The cost is very high and is not environmental friendly.

Now, the advantages of using nano bamboo and wood fiber material are: environmental protection, waterproof, moisture-proof, mildew proof, moth proof, no deformation, various colors, light, installed, clean, firm, durable and nice appearance.

It is very popular by lots of customers as soon as it accesses to the domestic and overseas market!




Waterproof

Insect prevention


Environmental protection

Flame-retardant


HOLLOW GRID PLATE




Name: 170 Hollow fluted wall panel



Length and width: 170*3000 (mm)
Thickness: 23.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 157 Inner arc grille




Length and width: 157*3000 (mm)
Thickness: 18.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 150 Arc fluted wall panel



Length and width: 150*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 160 triangular grille




Length and width: 160*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1


SOLID GRID PLATE




Name: 153 * 24 solid fluted wall panel




Length and width: 153*3000 (mm)
Thickness: 24mm
Environmental protection grade: E0
Fire rating: B1




Name: 110 * 18 solid fluted wall panel




Length and width: 110*3000 (mm)
Thickness: 18mm
Environmental protection grade: E0
Fire rating: B1




Name: 40 Inner arc solid grille




Length and width: 40*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1




Name: 70 Inner arc solid grille



Length and width: 70*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 120 * 9 solid fluted wall panel



Length and width: 120*3000 (mm)
Thickness: 9mm
Environmental protection grade: E0
Fire rating: B1






1. Apply structural adhesive on the back
2. Male and female slot splicing or metal clip splicing
3. Puttying and leveling

COLOUR - Metal series



COLOUR - Metal series



BJX703



BJX704

COLOUR - Wood grain series









COLOUR - Wood grain series


8006


81031


81033


81050


81051


8002


8066


81037


81032


8021


81017


8070


8007


8005


8008


81039


81041


81046


8058


81027


81003


8031


81009


81038

COLOUR - Wood grain series


81026


81012


81024


81010


8011


8032


8025


81005


81007


81013


81015


81043


8022


8014


8004


8034


8059


81011


81045


8055


8036

COLOUR - Wood grain series


81001


81002


81029


81030


81025


8037


81008


8045


81018


8018



8023



8035


81028


8009


8019


7001


7002


7005


7006

COLOUR - Solid color series










COLOUR - Solid color series

3021

3036



3001



3038



3040

3022

3041

3042



3037



3002

3023

3033

3092



3064




3026

3081



3015



3016

COLOUR - Solid color series



31005



31002



31003



31006



31007



31009



3035



3062




3030



3082

3032



3029



3061



3083

3028



3063




3003



3065



COLOUR - Cloth pattern series



6062



6063



6001



6003



6004



6005



6009

6061



6014



6065



6066




COLOUR - Stone series


5007


5004


5023



5018


5029


5003


5026


5010


5017


5020


51001


51003